



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Structural heterogeneity in glass: Insight from relaxation studies

- *An Invited Talk*

Yue, Yuanzheng

Publication date:
2015

Document Version
Accepted author manuscript, peer reviewed version

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Yue, Y. (2015). *Structural heterogeneity in glass: Insight from relaxation studies: - An Invited Talk*. Abstract from ACerS GOMD-DGG Joint Annual Meeting, Miami, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Structural heterogeneity in glass: Insight from relaxation studies

Yuanzheng Yue

Section of Chemistry, Aalborg University, DK-9000 Aalborg, Denmark
State Key Laboratory of Silicate Materials for Architecture, Wuhan University of Technology, China

Abstract

As is known, dynamic and structural heterogeneities are present in supercooled liquids and their glass states. Such heterogeneities are an important factor to be considered when designing nanostructured glasses. However it is still challenging to detect structural heterogeneity in macroscopically homogeneous inorganic glasses. Here we present our recent effort in detecting structural and energetic heterogeneity in several poor inorganic glass formers by considering medium range order. Based on calorimetric studies of relaxation in the hyperquenched and highly mechanically distorted glasses we have obtained strong indirect evidence for the existence of structural heterogeneity in those glasses. This evidence is supported by both nuclear magnetic resonance and high resolution transmission microscopy measurements. In this work, both the hyperquenched oxide glasses and the mechanically vitrified non-oxide glasses are chosen as the objects of our investigations. From the observed new relaxation phenomena we provide insight into the mechanism of the glass formation and glass transition of extremely poor glass formers.

References:

- [1] Y.Z. Yue and C.A. Angell, *Nature* **427** (2004) 717.
- [2] M. Moesgaard, R. Keding, J. Skibsted and Y. Z. Yue, *Chem. Mater.* **22** (2010) 4471.
- [3] Y.F. Zhang, G. Yang and Y. Z. Yue, *J. Am. Ceram. Soc.* **96** (2013) 3035.